

KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

09/05/23

SAMPLE ID #: **AD26176** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **Main Beach**

COLLECTION DATE/TIME: 08/31/23;09:40
SUBMITTAL DATE/TIME: 08/31/23;10:29


RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	194	1	09/01/23	14:20	AMW	SM#9223B-QT
Incubation Start	---	---	---	08/31/23	14:18	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

08/18/23

SAMPLE ID #: **AD25648** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **MAIN BEACH**
COLLECTION DATE/TIME: 08/11/23;08:25
SUBMITTAL DATE/TIME: 08/11/23;09:10

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	63	1	08/12/23	11:44	SJL	SM#9223B-QT
Incubation Start	---	---	---	08/11/23	11:10	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

08/18/23

SAMPLE ID #: **AD25649**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 08/11/23;08:30

SUBMITTAL DATE/TIME: 08/11/23;09:10

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	76	1	08/12/23	11:44	SJL	SM#9223B-QT
Incubation Start	---	---	---	08/11/23	11:10	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

08/09/23

SAMPLE ID #: **AD25244**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 08/02/23;10:45

SUBMITTAL DATE/TIME: 08/02/23;11:26


RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	158	1	08/03/23	16:10	AMW	SM#9223B-QT
Incubation Start	---	---	---	08/02/23	14:22	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

08/09/23

SAMPLE ID #: **AD25245**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 08/02/23;10:50

SUBMITTAL DATE/TIME: 08/02/23;11:26

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	14	1	08/03/23	16:10	AMW	SM#9223B-QT
Incubation Start	---	---	---	08/02/23	14:22	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory

ANALYSIS REPORT

Revision 1

Page 1 of 1



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/26/23

SAMPLE ID #: **AD24920**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 07/24/23;09:40

SUBMITTAL DATE/TIME: 07/24/23;10:27

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	12	1	07/25/23	14:49	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/24/23	14:27	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/26/23

SAMPLE ID #: **AD24921** *Email: eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **GRASS BEACH**
COLLECTION DATE/TIME: 07/24/23;09:45
SUBMITTAL DATE/TIME: 07/24/23;10:27

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	9	1	07/25/23	14:49	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/24/23	14:27	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/25/23

SAMPLE ID #: **AD24853** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 07/20/23;08:50
SUBMITTAL DATE/TIME: 07/20/23;09:40

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	57	1	07/21/23	14:37	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/20/23	14:36	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/25/23

SAMPLE ID #: **AD24854** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **GRASS BEACH**
COLLECTION DATE/TIME: 07/20/23;08:55
SUBMITTAL DATE/TIME: 07/20/23;09:40

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	65	1	07/21/23	14:37	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/20/23	14:36	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/19/23

SAMPLE ID #: **AD24641**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 07/13/23;11:00

SUBMITTAL DATE/TIME: 07/13/23;11:48

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	461	1	07/14/23	14:48	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/13/23	14:44	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/19/23

SAMPLE ID #: **AD24642** *Email: eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **GRASS BEACH**
COLLECTION DATE/TIME: 07/13/23;11:05
SUBMITTAL DATE/TIME: 07/13/23;11:48

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	326	1	07/14/23	14:48	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/13/23	14:44	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/17/23

SAMPLE ID #: **AD24465** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **MAIN BEACH**
COLLECTION DATE/TIME: 07/11/23;08:25
SUBMITTAL DATE/TIME: 07/11/23;09:28

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	1,733	1	07/12/23	14:55	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/11/23	13:53	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/17/23

SAMPLE ID #: **AD24466** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 07/11/23;08:30
SUBMITTAL DATE/TIME: 07/11/23;09:28

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	>2,420	1	07/12/23	14:55	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/11/23	13:53	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/11/23

SAMPLE ID #: **AD24213**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 07/05/23;11:15

SUBMITTAL DATE/TIME: 07/05/23;12:09

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	29	1	07/06/23	15:56	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/05/23	14:58	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

07/11/23

SAMPLE ID #: **AD24214**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 07/05/23;11:20

SUBMITTAL DATE/TIME: 07/05/23;12:09


RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	1,733	1	07/06/23	15:56	AMW	SM#9223B-QT
Incubation Start	---	---	---	07/05/23	14:58	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/30/23

SAMPLE ID #: **AD23986** Email: *eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **MAIN BEACH**
COLLECTION DATE/TIME: 06/27/23;07:50
SUBMITTAL DATE/TIME: 06/27/23;10:39

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	9	1	06/28/23	15:02	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/27/23	14:50	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/30/23

SAMPLE ID #: **AD23987**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 06/27/23;07:55

SUBMITTAL DATE/TIME: 06/27/23;10:39

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	20	1	06/28/23	15:02	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/27/23	14:50	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/28/23

SAMPLE ID #: **AD23890**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 06/22/23;08:40

SUBMITTAL DATE/TIME: 06/22/23;09:41

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	10	1	06/23/23	15:35	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/22/23	14:33	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/28/23

SAMPLE ID #: **AD23891**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 06/22/23;08:45

SUBMITTAL DATE/TIME: 06/22/23;09:41

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	12	1	06/23/23	15:35	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/22/23	14:33	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/16/23

SAMPLE ID #: **AD23538**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 06/12/23;11:40

SUBMITTAL DATE/TIME: 06/12/23;12:49

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	14	1	06/13/23	15:38	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/12/23	14:50	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/16/23

SAMPLE ID #: **AD23539**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 06/12/23;11:45

SUBMITTAL DATE/TIME: 06/12/23;12:49

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	6	1	06/13/23	15:38	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/12/23	14:50	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/14/23

SAMPLE ID #: **AD23352**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **MAIN BEACH**

COLLECTION DATE/TIME: 06/07/23;09:00

SUBMITTAL DATE/TIME: 06/07/23;09:55

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	16	1	06/08/23	15:53	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/07/23	15:21	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

06/14/23

SAMPLE ID #: **AD23353**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **GRASS BEACH**

COLLECTION DATE/TIME: 06/07/23;09:05

SUBMITTAL DATE/TIME: 06/07/23;09:55

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	10	1	06/08/23	15:53	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/07/23	15:21	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

DAN EUSTICE
1278 LAKEVIEW DR.
WHITE HAVEN, PA 18661

06/14/23

SAMPLE ID #: **AD23354**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **LAKE/POND**

COLLECTION DATE/TIME: 06/07/23;08:50

SUBMITTAL DATE/TIME: 06/07/23;09:55

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	36	1	06/08/23	15:53	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/07/23	15:21	AMW	SM#9223B-QT

COMMENTS: Sample is from East of 1371 Lakeview.

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

05/26/23

SAMPLE ID #: **AD22899**

Email: *eusticesteelers@yahoo.com*

SAMPLE DESCRIPTION: **Bathing Beach (Main Beach)**

COLLECTION DATE/TIME: 05/22/23;11:25

SUBMITTAL DATE/TIME: 05/22/23;12:15

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	Negative	1	05/23/23	16:15	AMW	SM#9223B-QT
Incubation Start	---	---	---	05/22/23	14:32	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115/NYS11801

PENN LAKE BOROUGH
1278 LAKEVIEW DRIVE
WHITE HAVEN, PA 18661

05/26/23

SAMPLE ID #: **AD22900** *Email: eusticesteelers@yahoo.com*
SAMPLE DESCRIPTION: **Bathing Beach (Grass Beach)**
COLLECTION DATE/TIME: 05/22/23;11:30
SUBMITTAL DATE/TIME: 05/22/23;12:15

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	4	1	05/23/23	16:15	AMW	SM#9223B-QT
Incubation Start	---	---	---	05/22/23	14:32	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.
Director of Laboratory