



# KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701, 570-326-5951 FAX 570-326-9926 HOURS: 8:00 AM - 5:00 PM

PENN LAKE  
C O HILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

06/22/20

SAMPLE ID #: **AC92318**  
SAMPLE DESCRIPTION: **Small Beach**  
COLLECTION DATE/TIME: 06/17/20;10:45  
SUBMITTAL DATE/TIME: 06/17/20;12:01

## RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	20	1	06/18/20	14:32	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/17/20	14:28	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 1 year from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



## KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40125 NYS11843

PENN LAKE  
C O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

06 26 20

SAMPLE ID #: AC92427  
SAMPLE DESCRIPTION: SMALL BEACH  
COLLECTION DATE/TIME: 06/23/20;09:55  
SUBMITTAL DATE/TIME: 06/23/20;10:59

### RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	31	1	06/24/20	14:49	AMW	SM#9223B-QT
Incubation Start	---	---	---	06/23/20	14:27	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and their disposal of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115 NYS11501

PENN LAKE  
C O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

07 08 20

SAMPLE ID #: AC92705  
SAMPLE DESCRIPTION: SMALL BEACH  
COLLECTION DATE/TIME: 07/02/20;10:15  
SUBMITTAL DATE/TIME: 07/02/20;11:17

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	3	1	07/03/20	12:24	JA	SM=9223B-QT
Incubation Start	---	---	---	07/02/20	12:17	AMW	SM=9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 2 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



**KIRBY MEMORIAL HEALTH CENTER**

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115 NYS11801

PENN LAKE  
 C/O JILL ROSENSTOCK  
 1345 LAKEVIEW DRIVE  
 WHITE HAVEN PA 18661

07/21/20

SAMPLE ID #: **AC93142**  
 SAMPLE DESCRIPTION: **SMALL BEACH**  
 COLLECTION DATE/TIME: 07/15/20:11:15  
 SUBMITTAL DATE/TIME: 07/15/20:12:05

**RESULTS:**

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	20	1	07/15/20	14:47	AMW	SM=4003B-1.7
Incubation Start	---	---	---	07/15/20	14:16	AMW	SM=4003B-1.7

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. S. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
 Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP# 113035113

PENN LAKE  
C/O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

07/24/20

SAMPLE ID #: AC93290  
SAMPLE DESCRIPTION: Small Beach  
COLLECTION DATE/TIME: 07/21/20;12:00  
SUBMITTAL DATE/TIME: 07/21/20;12:35

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	12	1	07/22/20	15:31	AMW	SM=9223B-QT
Incubation Start	---	---	---	07/21/20	15:12	AMW	SM=9223B-QI

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



# KIRBY MEMORIAL HEALTH CENTER

70 N. Franklin Street, Wilkes-Barre, Pa. 18701-1001 Phone: (717) 826-5451 Fax: (717) 826-4421

PENN LAKE  
C O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

08/15/20

SAMPLE ID #: AC93636  
SAMPLE DESCRIPTION: Small Beach  
COLLECTION DATE/TIME: 08/03/20;11:10  
SUBMITTAL DATE/TIME: 08/03/20;12:15

## RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	12	1	08/04/20	14:38	AMW	SM=9223B-QT
Incubation Start:	---	---	---	08/03/20	14:03	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the involved customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation, or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



## KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115 NYS220-1

PENN LAKE  
C/O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

08/25/20

SAMPLE ID #: AC94278  
SAMPLE DESCRIPTION: Small Beach

COLLECTION DATE/TIME: 08/20/20;10:10  
SUBMITTAL DATE/TIME: 08/20/20;11:16

### RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	42	1	08/21/20	14:03	AMW	SM=9223B-QT
Incubation Start	---	---	---	08/20/20	13:59	AMW	SM=9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Malheur A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



# KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 TEL/570-823-5456 FAX/570-823-9926 PACEP40115-0001

PENN LAKE  
C/O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

09/04/20

SAMPLE ID #: **AC94558**  
SAMPLE DESCRIPTION: **Small Beach**  
COLLECTION DATE/TIME: 09/01/20;11:20  
SUBMITTAL DATE/TIME: 09/01/20;12:12

## RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	10	1	09/02/20	14:01	AMW	SM#9223B-QT
Incubation Start	---	---	---	09/01/20	13:40	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to any one except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory





# KIRBY MEMORIAL HEALTH CENTER

70 N. Franklin Street, White Haven, Pa. 17891 Tel: 717-233-4444 Fax: 717-233-4440

PENN LAKE  
 C O JILL ROSENSTOCK  
 1345 LAKEVIEW DRIVE  
 WHITE HAVEN PA 18661

1000

SAMPLE ID #: **AC92319**  
 SAMPLE DESCRIPTION: **Main Beach**

COLLECTION DATE/TIME: 06/17/20;11:10  
 SUBMITTAL DATE/TIME: 06/17/20;12:01

## RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	15	1	06/18/20	14:32	AMW	SM=9223B-QT
Incubation Start	---	---	---	06/17/20	14:28	AMW	SM=9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and their disposal of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
 Director of Laboratory



## KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40115 NYS11503

PENN LAKE  
C O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

06 26 20

SAMPLE ID #: AC92428  
SAMPLE DESCRIPTION: MAIN BEACH  
COLLECTION DATE/TIME: 06/23/20;10:10  
SUBMITTAL DATE/TIME: 06/23/20;10:59


### RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	41	1	06/24/20	14:49	AMW	SM=9223B-QT
Incubation Start	---	---	---	06/23/20	14:27	AMW	SM=9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP#0015 NYS1131

PENN LAKE  
C/O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

07 21 20

SAMPLE ID #: AC93143  
SAMPLE DESCRIPTION: MAIN BEACH  
COLLECTION DATE/TIME: 07/15/20;11:30  
SUBMITTAL DATE/TIME: 07/15/20;12:05

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	26	1	07 16 20	14:47	AMW	SM=9223B-QT
Incubation Start	---	---	---	07 15 20	14:16	AMW	SM=9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the involved customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and shall not be reprinted, published or disclosed to any other party except in law. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss of damages arising in consequence of reliance on this report or any default, error or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP40113 NYS11501

PENN LAKE  
C/O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

07/24/20

SAMPLE ID #: AC93289  
SAMPLE DESCRIPTION: Main Beach  
COLLECTION DATE/TIME: 07/21/20;11:45  
SUBMITTAL DATE/TIME: 07/21/20;12:35

RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	9	1	07/22/20	15:31	AMW	SM-9223B-QT
Incubation Start	---	---	---	07/21/20	15:12	AMW	SM-9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. I. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation, or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



## KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 PADEP#00115 NYS01371

PENN LAKE  
C O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

08 05 20

SAMPLE ID #: **AC93637**  
SAMPLE DESCRIPTION: **Main Beach**  
COLLECTION DATE/TIME: 08/03/20;11:30  
SUBMITTAL DATE/TIME: 08/03/20;12:15

### RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	14	1	08/04/20	14:38	AMW	SM#9223B-QT
Incubation Start	---	---	---	08/03/20	14:03	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the invoiced customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 11 years in electronic form and final test reports are disposed of unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



## KIRBY MEMORIAL HEALTH CENTER

71 N. Franklin Street Wilkes-Barre, PA 18701 570-823-5450 FAX 570-825-4425

PENN LAKE  
C O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

08/25/20

SAMPLE ID #: AC94279  
SAMPLE DESCRIPTION: Main Beach  
COLLECTION DATE/TIME: 08/20/20;10:30  
SUBMITTAL DATE/TIME: 08/20/20;11:16


### RESULTS:

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN/ 100 ml	40	1	08/21/20	14:03	AMW	SM#9223B-QT
Incubation Start	---	---	---	08/20/20	13:59	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the intended customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and it shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory



**KIRBY MEMORIAL HEALTH CENTER**

71 N. Franklin Street, Wilkes-Barre, PA 18701 (570)823-5450 FAX(570)825-9926 P:ADP40115 N:5113

PENN LAKE  
C/O JILL ROSENSTOCK  
1345 LAKEVIEW DRIVE  
WHITE HAVEN PA 18661

09 04 20

SAMPLE ID #: **AC94559**  
SAMPLE DESCRIPTION: **Main Beach**  
COLLECTION DATE/TIME: 09/01/20;11:35  
SUBMITTAL DATE/TIME: 09/01/20;12:12

**RESULTS:**

ANALYSIS	UNITS	RESULTS	QUANT LIMIT	DATE ANALYZED	TIME ANALYZED	ANALYST	METHOD
E. coli (QT)	MPN 100 ml	5	1	09 02 20	14:01	AMW	SM#9223B-QT
Incubation Start	---	---	---	09/01/20	13:40	AMW	SM#9223B-QT

This report is subject to the following terms and conditions: 1. This report relates only to the sample as submitted. 2. All sample results and laboratory reports are strictly confidential. Results will not be available to anyone except the involved customer unless written authorization is received. 3. The content of this report is for the information of the customer identified above only and shall not be reprinted, published, or disclosed to any other party except in full. 4. Neither A. E. Kirby Memorial Health Center nor any of its employees shall be responsible or held liable for any claims, loss, or damages arising in consequence of reliance on this report or any default, error, or omission in its preparation or the tests conducted. 5. Test reports and test data are retained 10 years from date of final test report and then disposed of, unless instructed otherwise in writing.

Reviewed, Approved, and Respectfully Submitted by:

Danielle Cappellini, B.Sc., M.H.A.  
Director of Laboratory